
Dr. Amit Sachdeva & Nasim Ahmed

¹Assistant Professor, Department of Community Medicine, Indira Gandhi Medical College, Shimla, Himachal Pradesh, India. Email: dramitsachdeva2410@gmail.com

²Independent Research Scholar, Iarcon international LLP, Guwahati, Assam India. Email: nasim@iarcon.org

Received: Jan. 03, 2025; Revised: Feb. 09, 2025; Accepted: Mar. 16, 2025 ; Published: June. 28, 2025

Under a Creative Commons license Doi: 10.47310/ml.2025.v02i01.010

Eating Disorders and Body Image Disturbances: Exploring the Psychological and Societal Factors Behind Increasing Prevalence

Abstract: Eating disorders, such as anorexia nervosa, bulimia nervosa, and binge-eating disorder, are rising globally, driven by complex interactions between psychological and societal factors. This article explores the impact of body image disturbances, perfectionism, emotional dysregulation, and trauma on the development of eating disorders. Societal pressures, such as the thin ideal and media influence, exacerbate these conditions. Effective treatment approaches, including cognitive-behavioral therapy, family-based therapy, and integrative methods, are necessary for recovery. Addressing these factors can reduce the prevalence of eating disorders and promote body positivity.

Keywords: Eating disorders, Body image, Perfectionism, Media influence, Cognitive-behavioral therapy.

INTRODUCTION

Eating disorders are complex psychological conditions that affect millions of individuals worldwide, with rising prevalence in recent decades. Characterized by abnormal eating behaviors, preoccupation with body weight and shape, and often severe physical health consequences, eating disorders include anorexia nervosa, bulimia nervosa, binge-eating disorder, and other specified feeding or eating disorders (OSFED). One of the central components of eating disorders is body image disturbance—a distorted perception of one's physical appearance, often leading to unhealthy behaviors aimed at controlling weight.[1-5]

While the biological underpinnings of eating disorders are significant, the increasing prevalence of these conditions can largely be attributed to a confluence of psychological, cultural, and societal factors. From media influence and societal ideals of thinness to internal psychological vulnerabilities like low self-esteem, these disorders are deeply intertwined with how individuals view their bodies. This article will explore the psychological and societal factors contributing to the rising prevalence of eating disorders and body image disturbances, offering a comprehensive understanding of this pressing public health issue.

The Scope of Eating Disorders: Current Statistics and Trends [6-10]

Global Prevalence of Eating Disorders

The prevalence of eating disorders has seen a sharp rise globally, affecting individuals of all ages, genders, and backgrounds. Historically, eating disorders were thought to be confined primarily to young, affluent, white women in Western societies. However, recent trends indicate that these disorders are now affecting a broader demographic, including men, adolescents, people of various ethnicities, and individuals in low- and middle-income countries.

According to recent estimates, approximately 70 million people worldwide suffer from an eating disorder, with anorexia nervosa, bulimia nervosa, and binge-eating disorder being the most prevalent. While anorexia has a lower overall prevalence (affecting around 1% of the population), it is one of the most lethal psychiatric disorders due to its high mortality rate and the severe medical complications that

Sachdeva, Amit. "Eating Disorders and Body Image Disturbances: Exploring the Psychological and Societal Factors Behind Increasing Prevalence." *Medical Letter*, vol. 2, no. 1, 2025, pp. 49–54.

Eating Disorders and Body Image Disturbances: Exploring the Psychological and Societal Factors Behind Increasing Prevalence

can arise. Bulimia nervosa and binge-eating disorder, characterized by episodes of overeating followed by purging or feelings of guilt, have higher prevalence rates and are more commonly seen in clinical settings.

Age and Gender Disparities

Eating disorders typically begin in adolescence or early adulthood, although cases in pre-adolescents and middle-aged individuals are also becoming more common. Among adolescents, eating disorders are one of the leading causes of chronic illness, with studies showing that up to 13% of young people will experience an eating disorder by the age of 20.

Although eating disorders have long been associated with females, there is a growing recognition of the impact on males. Estimates suggest that 25-30% of individuals with eating disorders are male, yet men are less likely to seek treatment due to stigma and underdiagnosis. Male eating disorders often manifest with a focus on muscularity and "bulking up" rather than the thinness ideal seen more commonly in women.

Psychological Factors Contributing to Eating Disorders and Body Image Disturbances [2,4,7,9]

1. Body Image Disturbances and Low Self-Esteem

Body image disturbance is central to the development and maintenance of eating disorders. It involves a distorted perception of one's body size, shape, or appearance, and is often accompanied by a strong dissatisfaction with one's physical appearance. Many individuals with eating disorders report seeing themselves as overweight or undesirable, even when they are underweight or within a normal weight range.

Research suggests that body image dissatisfaction is significantly influenced by low self-esteem, particularly in adolescents and young adults. Individuals who derive their sense of self-worth from physical appearance are more likely to develop disordered eating behaviors. Body dissatisfaction, combined with perfectionism, creates a cycle where individuals become hyperfocused on achieving an "ideal" body, engaging in restrictive eating, excessive exercise, or binge-purge cycles to gain a sense of control over their lives.

Case Example: Perfectionism and Anorexia Nervosa

Perfectionism, a psychological trait characterized by the desire to achieve flawlessness and avoid failure, is often linked to anorexia nervosa. Individuals with anorexia may adopt rigid, perfectionistic attitudes toward their eating and exercise routines, feeling immense pressure to maintain control over their body weight and shape. This perfectionism, while initially rewarding, often spirals into unhealthy patterns of restriction that lead to physical and emotional deterioration. Despite severe weight loss, individuals with anorexia may still feel they are not "good enough," perpetuating their disordered behaviors.

2. Emotional Dysregulation and Coping Mechanisms

Another psychological factor contributing to eating disorders is emotional dysregulation—the inability to manage or respond to emotional stressors in a healthy way. For many individuals, eating disorders serve as a maladaptive coping mechanism to numb emotional pain, regulate anxiety, or feel a sense of control over chaotic emotions.

Binge-eating disorder, for example, is often linked to emotional eating, where individuals use food as a way to soothe negative emotions such as sadness, boredom, or anger. After engaging in a binge episode, feelings of shame and guilt often follow, perpetuating the cycle of emotional eating. In bulimia nervosa, bingeing is often followed by purging (through vomiting, excessive exercise, or the use of laxatives) as a way to relieve the anxiety and guilt associated with overeating.

Case Example: Bulimia Nervosa and Emotional Regulation

Bulimia nervosa often arises in individuals who struggle with emotional regulation. Binge-eating episodes may serve as an attempt to suppress or avoid distressing feelings, while purging behaviors are used to alleviate the guilt and shame that follow. For these individuals, food and body control become substitutes for healthy emotional expression, making it challenging to break the cycle without addressing underlying emotional vulnerabilities.

3. Trauma and Eating Disorders

Eating Disorders and Body Image Disturbances: Exploring the Psychological and Societal Factors Behind Increasing Prevalence

Trauma, particularly childhood trauma, is a significant risk factor for the development of eating disorders. Experiences such as physical, sexual, or emotional abuse can lead to deep-seated feelings of shame, fear, and lack of control, which in turn may manifest as disordered eating behaviors. Many individuals with eating disorders report using food and body control as a way to cope with unresolved trauma or to regain a sense of power and autonomy.

For example, individuals who have experienced sexual abuse may develop anorexia nervosa as a way to "disappear" or to avoid attention, while others may engage in binge-eating as a way to soothe emotional pain or distract from traumatic memories.

Societal and Cultural Factors Driving Eating Disorders [1,4,7,8]

1. Media Influence and the Thin Ideal

One of the most powerful societal factors contributing to the rising prevalence of eating disorders is the pervasive media portrayal of the "thin ideal." From advertisements to social media platforms, unrealistic body standards are constantly promoted, creating an environment where individuals—particularly young women—feel pressure to conform to a narrow definition of beauty.

The thin ideal is often portrayed as synonymous with success, happiness, and desirability. Fashion models, celebrities, and influencers, who often undergo significant digital alteration or employ unhealthy weight-control practices, become aspirational figures. This media exposure contributes to body dissatisfaction and the internalization of the belief that thinness is a marker of self-worth. As a result, individuals who feel they do not meet these standards may turn to extreme dieting, exercise, or disordered eating behaviors in an attempt to achieve the unattainable.

Social Media and the Rise of Eating Disorders

Social media platforms like Instagram, TikTok, and Snapchat have exacerbated body image concerns among adolescents and young adults. These platforms encourage constant comparison, as individuals are exposed to curated images of peers and influencers who often promote the "ideal" body. Filters, photo-editing apps, and fitness influencers contribute to the pressure to look perfect, leading many young people to engage in unhealthy weight-control practices. Studies show that higher social media usage is associated with greater body dissatisfaction and a higher risk of developing eating disorders.

2. Cultural Shifts and Body Image

While media plays a critical role in shaping societal beauty ideals, cultural factors also significantly influence the development of eating disorders. In many Western societies, thinness is associated with beauty, discipline, and control, while larger body sizes are stigmatized. This societal obsession with thinness has contributed to the rise of disordered eating behaviors across the globe.

However, in non-Western cultures, the ideals around body image are shifting as globalization introduces Western beauty standards. In countries where larger body sizes were once revered as a sign of health and prosperity, there is now increasing pressure, particularly among younger generations, to conform to thinner body ideals. This shift has led to a rise in eating disorders in regions where these conditions were previously less prevalent.

Case Example: The Globalization of Beauty Standards

As Western media becomes more accessible in countries around the world, the traditional notions of beauty in many cultures have shifted. In countries where curviness or larger body sizes were once seen as attractive and healthy, younger generations are increasingly adopting the Western thin ideal. As a result, eating disorders that were once rare in these regions are now on the rise, highlighting the global impact of cultural shifts on body image.

3. Gender Pressures and Masculinity Ideals

Although eating disorders have historically been associated with women, men are increasingly affected by body image disturbances, particularly related to the idealization of muscularity. In contrast to the thin ideal promoted for women, men often feel pressure to achieve a muscular, lean physique, with a focus on building muscle mass rather than losing weight.

This "muscle dysmorphia" or obsession with achieving a muscular physique is often linked to excessive exercise, the use of anabolic steroids, and disordered eating behaviors such as excessive protein

Eating Disorders and Body Image Disturbances: Exploring the Psychological and Societal Factors Behind Increasing Prevalence

consumption or restrictive diets. These behaviors reflect societal pressures for men to conform to traditional ideals of masculinity, where strength, power, and physical dominance are highly valued.

Case Example: Body Image Issues in Male Athletes

Athletes, particularly those in sports that emphasize physical appearance (such as bodybuilding, wrestling, or gymnastics), are at higher risk of developing eating disorders. The pressure to maintain a specific weight class or physique can lead male athletes to engage in extreme dieting, over-exercising, or using performance-enhancing substances. This pressure to meet body standards contributes to body image disturbances and increases the risk of developing muscle dysmorphia and other eating disorders.

The Increasing Prevalence of Eating Disorders: Societal Trends and Challenges [5,9,10]

1. Diet Culture and the Normalization of Disordered Eating

One of the major societal trends contributing to the rise of eating disorders is the pervasive culture of dieting and weight loss. Diet culture promotes the belief that thinness is the ultimate goal, equating health, morality, and happiness with losing weight. Popular diet trends, "clean eating" movements, and weight-loss challenges have normalized disordered eating behaviors, making it difficult to distinguish between a "healthy" diet and an unhealthy preoccupation with food.

In recent years, the wellness industry has also contributed to this normalization by promoting restrictive diets, detoxes, and fitness programs that often mask eating disorder behaviors under the guise of "health." This focus on weight and body control, even when packaged as a pursuit of health, perpetuates body dissatisfaction and can lead to unhealthy relationships with food.

The Role of Fitness Influencers and Diet Trends

The rise of fitness influencers on social media has further contributed to the normalization of disordered eating. These influencers often promote extreme dieting, strict workout routines, and unrealistic body standards, encouraging their followers to adopt similar practices. Diet trends such as intermittent fasting, low-carb diets, and detox programs are widely promoted on social media platforms, often without evidence-based support for their effectiveness or safety.

2. The Role of Family and Peer Influence

Family dynamics and peer influence also play a significant role in the development of eating disorders. In families where there is a strong emphasis on physical appearance, dieting, or achievement, children and adolescents may feel pressure to conform to these expectations. Critical comments about weight or appearance, whether directed at the individual or others, can contribute to body dissatisfaction and the development of disordered eating.

Peer influence is particularly powerful during adolescence, a critical time for identity formation. Adolescents who feel pressure from their peers to meet certain body standards may engage in dieting or exercise behaviors to gain acceptance or avoid bullying. In some cases, social comparisons with peers or siblings can lead to unhealthy preoccupations with weight and body image.

Holistic Treatment Approaches for Eating Disorders and Body Image Disturbances [1,2,11,12]

Given the complex interplay of psychological, societal, and cultural factors contributing to eating disorders and body image disturbances, effective treatment requires a holistic, multi-faceted approach. Treatments must address both the underlying emotional and cognitive issues related to body image as well as the disordered eating behaviors.

1. Cognitive Behavioral Therapy (CBT)

Cognitive Behavioral Therapy (CBT) is one of the most effective evidence-based treatments for eating disorders. CBT focuses on identifying and challenging distorted beliefs about food, body image, and self-worth. By helping individuals recognize the negative thought patterns that drive their disordered eating behaviors, CBT can lead to significant improvements in both eating behaviors and body image.

Eating Disorders and Body Image Disturbances: Exploring the Psychological and Societal Factors Behind Increasing Prevalence

CBT for eating disorders often involves helping individuals develop healthier coping mechanisms for managing stress and emotions, as well as learning to respond to their body's natural hunger and fullness cues. By addressing the cognitive distortions that contribute to body dissatisfaction, CBT helps individuals move toward a more positive and accepting view of their bodies.

2. Family-Based Therapy (FBT)

Family-Based Therapy (FBT), also known as the Maudsley Method, is particularly effective for adolescents with eating disorders. FBT involves the entire family in the treatment process, recognizing that family dynamics and parental involvement are key to recovery. In FBT, parents take an active role in helping their child regain control over their eating behaviors, providing structure and support during meals.

FBT focuses on restoring healthy eating habits and normal weight as the primary goal, while also addressing the psychological issues that contribute to the eating disorder. By involving the entire family in treatment, FBT helps create a supportive environment that fosters recovery and prevents relapse.

3. Integrative Approaches and Body Positivity

In recent years, integrative approaches to eating disorder treatment have gained popularity. These approaches combine traditional therapeutic methods with alternative treatments such as mindfulness, yoga, and body positivity interventions. Mindfulness-based interventions help individuals develop greater awareness of their thoughts and emotions, reducing the tendency to react impulsively to negative body image or emotional distress.

Body positivity interventions encourage individuals to develop a healthier relationship with their bodies by focusing on body functionality, self-compassion, and body acceptance. These interventions help individuals move away from the societal pressures of achieving an "ideal" body and instead focus on appreciating their bodies for their strengths and capabilities.

4. Medical and Nutritional Interventions

For individuals with severe eating disorders, medical and nutritional interventions are often necessary to stabilize their physical health. Individuals with anorexia nervosa, for example, may require hospitalization or intensive outpatient care to restore weight and manage complications such as electrolyte imbalances or organ damage.

Nutritional counseling is also a key component of treatment, helping individuals develop balanced eating habits and understand the nutritional needs of their bodies. Dietitians work closely with individuals to create meal plans that restore health and promote a positive relationship with food.

CONCLUSION

The rising prevalence of eating disorders and body image disturbances is a complex issue driven by a combination of psychological vulnerabilities, societal pressures, and cultural ideals. These conditions are not limited to specific demographics but affect individuals across the globe, with significant consequences for physical and mental health.

Understanding the interplay between psychological factors like low self-esteem, emotional dysregulation, and trauma, alongside societal influences such as media portrayal of the thin ideal and cultural shifts in beauty standards, is crucial for addressing the root causes of eating disorders. Treatment approaches that integrate cognitive-behavioral therapy, family involvement, body positivity, and medical interventions offer the most effective path toward recovery.

As we continue to explore the societal and psychological factors behind the increasing prevalence of eating disorders, it is clear that a holistic and compassionate approach is necessary to combat these life-threatening conditions. By challenging societal norms, promoting healthy relationships with food and body image, and providing accessible treatment, we can work toward reducing the burden of eating disorders and fostering a more inclusive and accepting culture.

REFERENCES

Eating Disorders and Body Image Disturbances: Exploring the Psychological and Societal Factors Behind Increasing Prevalence

1. Doku et al; "Prevalence and Factors Associated with Eating Disorders Among Undergraduate Students in a Public University in Ghana" 2.1 (2024) Pp64, doi <https://doi.org/10.1002/mhs2.64>
2. Mushtaq et al; "Prevalence of Eating Disorders and Their Association with Social Media Addiction Among Youths" 15.21 (2023) Pp4687, doi <https://doi.org/10.3390/nu15214687>
3. Deleel et al; "Prevalence of Eating Disturbance and Body Image Dissatisfaction in Young Girls: An Examination of the Variance Across Racial and Socioeconomic Groups" 46.8 (2009) Pp767-775, doi <https://doi.org/10.1002/pits.20415>
4. Mallaram et al; "Body Image Perception, Eating Disorder Behavior, Self-Esteem and Quality of Life: A Cross-Sectional Study Among Female Medical Students" 11.1 (2023) Pp225, doi <https://doi.org/10.1186/s40337-023-00943-2>
5. Thangaraju et al; "A Cross-Sectional Study on Prevalence of Eating Disorder and Body Image Disturbance Among Female Undergraduate Medical Students" 25.1 (2019) Pp53, doi https://doi.org/10.4103/jmhbb.jmhbb_14_20
6. Pastore et al; "Alarming Increase of Eating Disorders in Children and Adolescents" 263.1 (2023) Pp113733, doi <https://doi.org/10.1016/j.jpeds.2023.113733>
7. Qian et al; "An Update on the Prevalence of Eating Disorders in the General Population: A Systematic Review and Meta-Analysis" 27.2 (2022) Pp415-428, doi <https://doi.org/10.1007/s40519-021-01152-z>
8. Feng et al; "Current Discoveries and Future Implications of Eating Disorders" 20.14 (2023) Pp6325, doi <https://doi.org/10.3390/ijerph20146325>
9. Roser et al; "Eating Disorders Prevalence" 1.1 (2023) Pp1-2, Available from: <https://ourworldindata.org/grapher/eating-disorders-prevalence>
10. TherapyDen et al; "Eating Disorder Statistics" 1.1 (2023) Pp1-2, Available from: <https://www.therapyden.com/blog/eating-disorder-statistics>
11. Zanella et al; "Integrative Review on Psychological and Social Risk and Prevention Factors of Eating Disorders Including Anorexia Nervosa and Bulimia Nervosa: Seven Major Theories" 8.11 (2022) Pp11422, doi <https://doi.org/10.1016/j.heliyon.2022.e11422>
12. O'Brien et al; "A Scoping Review of Integrated Yoga and Psychological Approaches for the Treatment of Eating Disorders" 11.1 (2023) Pp152, doi <https://doi.org/10.1186/s40337-023-00874-y>